HB 1335

D8

HB 1335 .D8 Copy 1

The Improvement of Statistics of Cause of Death Through Supplementary Inquiries to Physicians

Reprinted from the Quarterly Publications of the American Statistical Association, June, 1916

 ${\rm BY}$

LOUIS I. DUBLIN, Statistician
EDWIN W. KOPF, Chief Clerk
Statistical Bureau, Metropolitan Life Insurance Company, New York

HB1335

By? & 1916

THE IMPROVEMENT OF STATISTICS OF CAUSE OF DEATH THROUGH SUPPLEMENTARY INQUIRIES TO PHYSICIANS.

By Louis I. Dublin, Statistician, and Edwin W. Koff, Chief Clerk, Statistical Bureau, Metropolitan Life Insurance Company, New York.

The extension of the registration of vital statistics and the consequent increase in the amount of available data on American mortality have resulted in recent years in the development of a critical spirit toward these statistics. When data were scant, they were perforce accepted with little or no question; today we are justified in inquiring to what extent the returns are an accurate picture of the actual conditions. Perhaps enough material is now at hand to enable one to separate the probably true from the uncertain in our mortality returns. This questioning is clearly warranted by the likelihood that the sources of our statistics will thus be improved. It is only as our basic material is sound that the death rates we quote have real value.

The chief source of error in the statistics of mortality is, of course, the uncertainty of the primary diagnosis made by the physician certifying to the cause of death. A group of clinicians and pathologists, represented by Cabot,* Oertel,† and Emerson,‡ have in recent years contributed stimulating and constructive studies of the general reliability of diagnoses made in fatal cases. These writers point out, for example, that the acute infections, like typhoid fever, scarlet fever, and diphtheria, and those conditions which are usually of long duration and present distinct clinical pictures, like pulmonary tuberculosis and the external cancers, furnish no special difficulties of diagnosis to the physician, and statements with regard to them may be accepted without further question. On the other hand, bedside diagnoses, even in our best hospi-

Cabot, Richard C., M.D.: Diagnostic Pitfalls Identified during a Study of Three Thousand Autopsie,
 Journal Amer. Medical Ass'n, December 28, 1912.

[†] Oertel, Horst, M.D.: The Inaccuracy of American Mortality Statistics, American Underwriter, May,

[‡] Emerson, Haven, M.D.: Reliability of Certain Classes of Death Certificates, Amer. Jour. Public Health, August, 1915.

tals, of Bright's disease, of cerebral hemorrhage and apoplexy, and of certain of the heart affections are very frequently not confirmed by autopsy, while other determinative conditions are shown to have been the primary cause of death. Relief from this fundamental difficulty is not within the control of statisticians, but will depend entirely upon the improvement of autopsy facilities and the general rise of standards of medical education. A Committee of the Vital Statistics Section of the American Public Health Association is now actively engaged in considering the International List of Causes of Death from this point of view, registering its conclusions as to those titles which can be accepted with considerable certainty even in the absence of an autopsy, as against those which must be considered as tentative assignments only, unless based on autopsy findings.

The present paper bears on the remedy for a second important source of error which is largely within the scope and control of statisticians. Fortunately, this remedy can be applied at once and surprisingly large corrections in the death rate for certain causes can be made available. The method of procedure consists in attempting to secure from physicians completer statements as to the cause of death, in those cases where the returns on the death certificate are given vaguely or indefinitely, or where there is evidence that the original statements do not tell the entire story. Thus physicians often report conditions like "acute nephritis" as the cause of death, and do not refer at all to the primary condition, such as "scarlet fever," "influenza," or "alcoholism," which was present and known to them. Again, "peritonitis" is frequently reported without reference to the "appendicitis" or to the "puerperal septicemia" which may have preceded it. The various forms of death by violence are still reported vaguely, and without due regard for the statistical requirements of assignment to the International List of Causes of Death. Certificates frequently do not permit one to determine whether death was due to accident, suicide, or homicide, and what was the means and character of the injury.

This report is not the announcement of a discovery in the field of statistics. It is simply an attempt to put on record

the results of a method followed for four years in the Statistical Bureau of the Metropolitan Life Insurance Company, in the treatment of the industrial mortality experience of that company. We have realized that, if our material on the mortality of the American working classes is to be utilized to the full, every effort must be made to improve the quality of the basic data, especially since for many diseases and conditions the death rate is decidedly modified by the extent to which the query system is applied. The method is essentially that followed by the Registrar-General of England and Wales, and by the Division of Vital Statistics in the United States Census Bureau. We desire at this point to acknowledge our indebtedness to Mr. George H. Van Buren, Chief of that Division, who aided materially in the introduction of the method into our office. Both the English* and the American t bureaus have already, in their annuals and in other publications, called attention to the changes resulting from their systems of inquiry. A preliminary statement of the results obtained by our office appeared in the December, 1913, issue of this Quar-TERLY. In the present paper we shall discuss the effects upon our returns on the basis of the much more extensive data now available. It is our hope that this complete statement will encourage other workers to similar efforts, and that in this way the returns of health departments and insurance companies may become more accurate and comparable.

The technical procedure is as follows: The death certificates attached to the claim papers are carefully examined, and the staff engaged in this work determine whether the statement of cause of death given by the physician is satisfactory and complete for purposes of assignment. Statements of cause presenting no difficulty are at once classified according to the International List of Causes of Death. Joint causes are classified according to the precedents and rules of the International Committee, as best exemplified by the methods of the United

^{*} Registrar-General of Births, Deaths and Marriages. Report, 1913, p. LXXIX.

[†] Bureau of the Census. Mortality Statistics, 1911, p. 36.
Bureau of the Census. Mortality Statistics, 1912, p. 23.

Van Buren, Geo. H.: Mortality Statistics and the Physician, Amer. Jour. Pub. Health, Dec., 1915. Emerson, Haven, loc. cit.

[‡] Dublin, Louis I.; Kopf, Edwin W.: Experiment in the Compilation of Mortality Statistics, this Quarterly, Dec., 1913.

States Census Bureau. Wherever the statement of cause is considered unsatisfactory for classification, or where, from the statement presented to the Company by the claimant or from other available sources, there is an indication that a serious condition not mentioned on the certificates has contributed to the death, or where additional information is required before a satisfactory assignment can be made, a letter of inquiry, asking for the facts, is sent to the physician. Clerical labor is minimized wherever possible through the use of form letters. A codified series of questions is employed, and the examiners indicate to the typists the question which is to be inserted in the form. The following is a copy of one of our series of letters sent to physicians:

NEW YORK CITY

Dear Doctor:

This Company is analyzing its mortality experience for the year 191, and in order that we may be able to classify accurately the death of

who died on , and whose certificate you signed, we most respectfully ask you to send us the following information in addition to the statement now appearing on the death claim, viz.:

Acute nephritis

Additional data desired:

Kindly indicate the primary cause of the ACUTE NEPHRITIS. Due to any contagious or infectious disease (scarlet fever, typhoid fever, etc.)? Directly due to alcoholism or exposure? Traumatic? If so, means of injury?

The claim was duly paid by this Company under date of and this desired information will be used for statistical purposes only. We are confident that your interest in the advancement of the scientific study of Causes of Death will prompt you to comply with our request, and we beg you to accept our thanks. A stamped envelope is enclosed for your reply. Very respectfully yours,

Statistician.

(Please answer here) 15

At first we proceeded cautiously, inquiring only as to the means and character of the injury in cases of ill-defined violence. We also asked for the causes for the relief of which operations were performed (when expressions such as "operation," "surgical shock," or "laparotomy" were reported with no additional data), the causes contributing to "peritonitis," and the

more exact location of cancers and tumors. We asked for additional information when the terms were "dropsy," "heart failure," and others of like character included in the designation "Ill-defined Diseases" in the International Classification. The scope of our questions has since been much extended. The following questions indicate the lines along which inquiry is now made:

UNDESIRABLE RETURNS AND CHARACTER OF INQUIRY MADE.

 $Undesirable\ Return$ \cdot .

- 1. "Injury," "Gunshot-Wound," "Drowning," "Accidental death," or other ill-defined violence.
 - 2. "Operation," "Hysterectomy," "Laparatomy."
 - 3. "Peritonitis."
 - 4 "Acute nephritis."
 - 5. "Meningitis," or "Cerebrospinal meningitis."
 - 6. "Apoplexy."
 - 7. "Paralysis."
 - 8. "General paralysis of the insane."
 - 9. "Locomotor ataxia."

Inquiry.

Was death due to accident, suicide, or homicide? If accident, what kind of accident was the primary cause of death (steam railroad, street car, fall, etc.)?

What was the cause, for the relief of which the operation was performed? Was the peritonitis secondary to typhoid fever? To tuberculosis? To puerperal septicemia? To appendicitis? If postoperative, what was the primary cause? Was it accidental, suicidal, or homicidal? If so, what was the means of injury?

What was the primary cause? Was it a contagious or infectious disease (scarlet fever, typhoid fever, etc.)? Was it directly due to alcoholism or exposure? Was it traumatic? If so, what was the means of injury?

Was it epidemic? Tuberculous? Was it simple meningitis following lobar pneumonia, typhoid fever, or any other contagious or infectious disease? Was it traumatic? If so, what were the means and nature of the injury? Was it accidental, suicidal, or homicidal?

Was this a case of cerebral hemorrhage? Was it superinduced by cerebral hemorrhage? Was it a case of spinal paralysis? Of general paralysis of the insane?

Was it due to syphilis? If so, was the presence of syphilis determined by history or tests?

Was it of syphilitic origin? Traumatic?
If so, what was the means of injury?

10. "Progressive paralysis."

11. "Tumor."

12. "Cancer."

13. "Abscess."

14. "Burns."

 Any terminal condition, origin not stated, such as "Septicemia," "Convulsions," or "Hemorrhage."

16. "Acute cardiac dilatation," "Heart failure."

17. "Pneumonia."

Was it due to a spinal lesion? Was it directly or remotely due to cerebral hemorrhage?

Was it malignant? What was its location?

What was its location?

What was its location? What was its nature and cause? Was it tuberculous? Traumatic?

Was death primarily due to burns received in burning building? (Such deaths are separately classified.)

What was the primary cause?

What was the primary cause?

Was it lobar, bronchial, grippal, or tuberculous? Was it traumatic? If so, was death due to accident, suicide, or homicide, and what was the means of injury?

At the present time we are querying about 8.5 per cent. of the certificates of death received in our office. Satisfactory replies are obtained from physicians in about three quarters of the cases; the proportion varies somewhat with the condition queried. Changes are made in the classification, as the result of inquiry, in about 70 per cent. of the replies received. It is a pleasure at this time to acknowledge our indebtedness to the thousands of physicians whom we have addressed, and who, without reimbursement, have put at our disposal their time and opinion in order to help in the campaign to improve vital statistics. It is an encouraging commentary on the scientific interest of the American practitioner that such a large return could be received.

The following table shows the principal titles in which changes in assignment were made; it shows the number of deaths that would have been assigned to each title without inquiry, the number actually assigned after inquiry, and the ratio of the latter number to the former. The titles are arranged in the increasing order of these ratios.

TABLE I.

NUMBER OF DEATHS FROM CERTAIN CAUSES, BEFORE AND AFTER INQUIRY, AND PROPORTION OF LATTER TO FORMER, ARRANGED IN INCREASING ORDER OF PROPORTIONS.

Metropolitan Life Insurance Company, Industrial Department; Mortality Experience, 1911-1914.

	Cause of Death.	Deaths	Deaths	Deaths after
International List Number.	Title.	before Inquiry.	after Inquiry.	Inquiry, per 100 Deaths before Inquiry.
185	Fractures (causes not specified)	1,484	545	36.7
117 066	Simple peritonitis—nonpuerperal	1,180	711	60.3
061	Simple meningitis	3,340 3,752	2,090 2,534	62.6 67.5
046	Other tumors (tumors of the female genital	3,702	2,334	07.5
010	organs excepted)	266	196	73.7
062	Locomotor ataxia	714	558	78.2
186	Other external violence	1,456	1,158	79.5
067	General paralysis of the insane	2,042	1,627	79.7
119	Acute nephritis	4,186	3,375	80.6
020	Purulent infection and septicemia	820	725	88.4
094	Pulmonary congestion, pulmonary apoplexy	749	664	88.7
045	Cancer and other malignant tumors of other organs or of organs not specified	3,650	3,279	89.8
092	Pneumonia (lobar and nndefined)	27,740	26,299	94.8
081	Diseases of the arteries, atheroma, aneurysm,	21,110	20,200	31.0
001	etc	6,390	6,199	97.0
120	Bright's disease	32,854	32,745	99.7
028	Tuberculosis of the lungs	60,486	60,613	100.2
009	Diphtheria and croup	8,850	8,881	100.4
156-163	Other suicides	2,660	2,674	100.5
029, 032-035	Other forms of tuberculosis	6,083	6,120	100.6
040	Cancer and other malignant tumors of the stom-	8,804	8.932	101.5
008	Whooping cough	1.995	2.025	101.5
001	Typhoid fever		6,440	101.5
155	Suicide by poison	1,666	1,696	101.8
006	Measles	3,137	3,216	102.5
007	Scarlet fever	3,681	3,778	102.6
039	Cancer and other malignant tumors of the buc- cal cavity	853	880	103.2
031	Abdominal tuberculosis	2.067	2,133	103.2
041	Cancer aud other malignant tumors of the peritoneum, intestines, rectum	2,679	2,769	103.4
042	Cancer and other malignant tumors of the fe-	-,0.0	2,100	100.1
0.12	male genital organs	4,813	5,003	103.9
108	Appendicitis and typhlitis	3,807	3,959	104.0
043	Cancer and other malignant tumors of the			
044	breast	2,089	2,195	105.1
044	Cancer and other malignant tumors of the skin		604	105.2
064 182	Cerebral hemorrhage and apoplexy	21,727 1,443	23,029 1,532	$106.0 \\ 106.2$
091	Bronchopneumonia	9,133	9,708	106.3
183-184	Homicide by other means	792	848	107.1
010	Influenza	3,995	4,370	109.4
A63	Other diseases of the spinal cord	1,248	1,389	111.3
030	Tuberculous meningitis	2,656	3,024	113.9
051	Exophthalmic goitre	368	433	117.7
056	Alcoholism (acute or chronic)	1.353	1,633	120.7
172	Traumatism by fall	3,575 1,322	4,432 2,350	124.0 177.8
037 038	Syphilis. Gonococcus infection.	1,322	2,350	230.0
A61	Cerebrospinal fever	138	536	388.4
101	Corobrodymanic (ci	1		
	·			

The indefinite title "fractures (cause not specified)" shows the greatest reduction in the number of assignments. The number of deaths after inquiry is only 36.7 per cent. of the number originally returned. In view of the fact that the number of persons exposed is constant, the decrease in the number of deaths is accompanied by a corresponding reduction in the death rate. We may, therefore, say that the final death rate for this cause was 63.3 per cent. less than the one which would originally have been quoted. Such general titles as "other external violence" and "cancer of organs not specified" were in like manner greatly reduced through the determination of the nature of the violence, or of the location of the cancer. Considerable reductions were obtained upon inquiry into the character of such returns as "paralysis" and "locomotor ataxia": for in such cases added information with reference to blood tests, etc., gave sufficient data upon which more definite assignments could be made. On the other hand, a large number of causes, especially those referring to the infectious diseases, show very little change. Tuberculosis of the lungs, for example, shows an increase of but .2 per cent. The infectious diseases of children, such as "measles" and "scarlet fever," give somewhat greater percentages of increase, 2.5 and 2.6 respectively; these increases were made at the expense of terminal conditions, such as "hypostatic pneumonia" and "acute nephritis," which are very often given as the causes of death. Cancers of definitely specified organs were considerably increased in the number of assignments, with a corresponding increase in the rates. Thus "cancer and other malignant tumors of the breast," of which there are many cases, showed an increase of 5.1 per cent, in the death rate. Such socially significant titles as "alcoholism," "syphilis," and "gonococcus infection" gave very marked rates of increase, 20.7, 77.8, and 130.0 per cent., respectively. That we could add two thirds as many deaths as were originally assigned to "syphilis" is in itself sufficient justification for the effort involved by our method. The greatest percentage of increase is shown by the title "cerebrospinal fever," which was increased from 138 to 536 deaths, or nearly fourfold.

The more definite titles to which some of the undesirable titles were changed are shown in the following table:

TABLE II.

ILL-DEFINED CAUSES OF DEATH, AND DEFINITE TITLES TO WHICH RE-ASSIGNED, BY NUMBER AND PERCENTAGE OF CHANGE IN CLASSIFICATION.

Metropolitan Life Insurance Company, Industrial Department; Mortality Experience, 1911-1914.

Ill-Defined Term	Title Assigned after Inquiry.		Number and Percentage of Changes in Classification.	
as Classified before Inquiry.			Percentage of Total Replies.	
Purulent infection and septicemia (Total replies, 184.)	Total changes from "Purulent infection and septicemia". "Other diseases of the uterus". Puerperal septicemia. Acute abscess. Other titles. Total changes from "Cancer not specified".	134 6 54 8 66	72.8 3.3 29.3 4.3 35.9	
Cancer and other mallg- nant tumors of other organs or of organs not specified (Total replies, 572.)	Cancer and other malignant tumors of the buccal cavity Cancer and other malignant tumors of the stomach. Cancer and other malignant tumors of the peritoneum Cancer and other malignant tumors of the female genital organs. Cancer and other malignant tumors of the breast. Cancer and other malignant tumors of the skin. Other titles.	25 75 61 148 83 28 3	4.4 13.1 10.7 25.9 14.5 4.9	
Meningitis (Total replies, 1,653.)	Total changes from "Meningitis". [Tuberculous meningitis. Cerebrospinal fever. Pneumonia Diarrhea and enteritis—2 years and over. Other titles. Total changes from "Locomotor ataxia".	1,234 294 363 79 62 436 163	74.7 17.8 22.0 4.8 3.8 26.4 50.8	
Locomotor ataxia (Total replies, 321.)	Total enanges from Locomotor atama Syphilis. Other titles. Total changes from "Paralysis without specified	148 15	46.1 4.7	
Paralysis without specified cause (Total replies, 1,449.)	cause" "Other diseases of the spinal cord". Cerebral hemorrhage, apoplexy. General paralysis of the insane. Other titles Total changes from "General paralysis of the in-	1,259 175 885 80 119	86.9 12.1 61.1 5.5 8.2	
General paralysis of the insane (Total replies, 956.)	Syphilis. Other titles. Total changes from "Organic diseases of the heart"	531 491 40 264	55.5 51.4 4.2 37.0	
Organic diseases of the heart* (Total replies, 714.)	Cerebral hemorrhage, apoplexy	46 72 146	$\begin{array}{c} 6.4 \\ 10.1 \\ 20.4 \end{array}$	
Diseases of the arteries, atheroma, aneurysm, etc. (Total replies, 603.)	Other titles	317 65 166 86 1,754	52.6 10.8 27.5 14.3 58.4	
Pneumonia† (Total replies, 3,005.)	Total changes from "Pneumonia" [Influenza Bronchopneumonia Lobar pneumonia. Other titles.	228 586 577	7.6 19.5 19.2 12.1	

^{*} Most of the terms included under the title "organic diseases of the heart" are fairly definite. However, certain expressions like "acute cardiac dilatation" and "cardiac insufficiency" are often reported when they are only terminal symptoms of other diseases. It is these expressions that are covered by our inquire.

our inquiry.

†Assignments to "lobar pneumonia" should be regarded as confirmations of original assignments to "pneumonia," rather than as changes.

TABLE II-Continued.

Ill-Defined Term	Title Assigned after Inquiry.	Number and Per- centage of Changes in Classification.	
as Classified before Inquiry.		Num- ber.	Percentage of Total Replies.
	Total changes from "pulmonary apoplexy"	99	63.9
Pulmonary congestion.	Organic diseases of the heart	15	9.7
pulmonary apoplexy	Chronic bronchitis. Pneumonia	. 6 8	3.9 5.2
(Total replies, 155.)	Bright's disease	s	5.2
	Other titles	62	40.0
	Total changes from "Peritonitis"	476	82.8
	Abdominal tuberculosis.	44	7.7
Peritonitis — non-puer-	Diarrhea and enteritis—2 years and over	$\frac{20}{105}$	3.5 18.3
(Total replies, 575.)	organs	45	7.8
(,	Puerperal septicemia	86	15.0
	Other titles.	176	30.6
	Total changes from "Acute nephritis"	8 39 68	43.4 3.5
	Iufluenza	75	3.9
Acute nephritis (Total replies, 1,935.)	Alcoholism (acute or chronic)	213	11.0
	Bright's disease	74	3.8
	(Other titles	409	21 1
	Total changes from "Other diseases of the uterus" Gonococcus infection	119 15	68.8 8.7
	ital organs	7	4.0
Other diseases of the uterus (Total replies, 173.)	Uterine tumor (noncancerous)	13 6	7.5 3.5
(10tal lepiles, 175.)	organs	21	12.1
	Puerperal septicemia	35	20.2
	(Other titles	22	12.7
	Total changes from traumatism by firearms	95	79.8
Traumatism by firearms	Suicide by firearms. Homicide by firearms.	6 87	5.0 73.1
(Total replies, 119.)	Other titles.	2	1.7
	Total changes from "Fractures (cause not speci-		
	fied)"	949	8.03
	Traumatism by fall.	$\frac{646}{33}$	61.8 3.2
Fractures (cause not	Traumatism by erushing—electric railway Traumatism by erushing—steam railway	25	2.4
specified)	Traumatism by crushing—automobiles. Traumatism by crushing—other vehicles.	27	2.6
(Total replies, 1,045.)	Traumatism by crushing—other vehicles	51	4.9
	Traumatism by other means	$\frac{57}{110}$	$\begin{array}{c} 5.5 \\ 10.5 \end{array}$
	Total changes from "Other external violence"	400	79.4
	Purulent infection and septicemia.	15	3.0
	Traumatism by fall	161	31.9
041	Traumatism by machines	23 29	4.6 5.8
Other external violence (Total replies, 504.)	Traumatism by crushing—steam railway Traumatism by crushing—electric railway	16	3.2
(xosas repues, 304.)	Traumatism by crushing—automobiles	17	3.4
	Traumatism by crushing—other vehicles	37	7.3
	Other titles	102	20.2
	Total changes from "Ill-defined diseases"	322 15	72.9 3.4
Ill-defined diseases	Tuberculosis of the lungs.	18	4.1
(Total replies, 442.)	Organic diseases of the heart	83	18.8
	Bright's disease	21	4.8
	Other titles	185	41.9

Letters were received from physicians in connection with 1.653 cases originally diagnosed as "meningitis." In 1,234 of these cases, or 74.7 per cent., the classification was changed to other and more definite titles. "Cerebrospinal fever" received 22 per cent. of the original "meningitis" returns; "tuberculous meningitis," 17.8 per cent.; and "pneumonia (lobar and undefined)," 4.8 per cent. The title "paralysis without specified cause" was the subject of 1,449 replies; the classification was changed in 1,259 instances, or 86.9 per cent. The larger proportion (61.1 per cent.) of these "paralysis without specified cause" cases were classified under "cerebral hemorrhage and apoplexy." "Peritonitis" was changed in classification in 476 out of 575 cases, or 82.8 per cent. These changes were credited chiefly to the titles "appendicitis and typhlitis," "puerperal septicemia," "salpingitis," and other diseases of the female genital organs.

Ill-defined returns of "traumatism by firearms" were changed in 79.8 per cent. of the cases queried. The greater part (73.1 per cent.) of these deaths was assigned to the title "homicide by firearms." "Fractures (cause not specified)" were a fruitful source of additions to the class of "traumatism by fall"; 646 ill-defined fractures (61.8 per cent.) were so assigned.

After this examination of the ill-defined terms and the more definite titles to which they were assigned, we may proceed naturally to the other aspect of the change; namely, to determine how the mortality is constituted in those causes which show an increase in the number of deaths. This is indicated by Table III.

TABLE III.

ADDITIONS TO CERTAIN CAUSES OF DEATH FROM INDEFINITE TITLES, NUMBER AND PERCENTAGE CHANGED FROM EACH INDEFINITE TITLE.

Metropolitan Life Insurance Company, Industrial Department; Mortality Experience, 1911-1914.

Title before Inquiry. Total changes to "typhoid fever". Simple meningitis. Organic diseases of the heart. Pneumonia Other diseases of the intestines Simple peritonitis Aente nephritis Bright's disease. Cause of death not specified or ill-defined. Other titles. Total changes to "measles". Whooping cough. Simple meningitis Bronchopneumonia. Pneumonia. Acute nephritis Other titles. Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia	21 3 3 15 89 3 19 9 31 13 14	Per Cent 100.0 28.7 3.0 5.0 5.9 15.8 20.8 3.0 3.0 14.9 100.0 3.4 21.3 10.1 34.8 14.6 14.6 17.0 100.0
Simple meningitis Organic diseases of the heart. Pneumonia. Other diseases of the intestines Simple peritonitis Aente nephritis Bright's disease. Cause of death not specified or ill-defined. Other titles Total changes to "measles". Whooping cough. Simple meningitis. Bronchopneumonia Pneumonia Acute nephritis Other titles. Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia Procumonia Procumonia Procumonia Brouchopneumonia Procumonia Brouchopneumonia Brouchopneumonia	29 3 5 6 16 21 3 3 15 89 9 31 13 14 9 9	28.7 3.0 5.9 15.8 20.8 3.0 14.9 100.0 3.4 21.3 10.1 34.8 14.6 15.7
Organic diseases of the heart Pneumonia Other diseases of the intestines Simple peritonitis Aente nephritis Bright's disease. Cause of death not specified or ill-defined. Other titles. Total changes to "measles" Whooping cough. Simple meningitis Bronchopneumonia Pneumonia Acute nephritis Other titles Total changes to "scarlet fever" Simple meningitis Bronchopneumonia Pneumonia Pneumonia Brouchopneumonia Pneumonia	3 5 6 6 16 21 3 3 15 89 3 19 9 9 31 13 14 98 8 7	3.0 5.0 5.9 15.8 20.8 3.0 3.0 14.9 100.0 3.4 21.3 10.1 34.8 14.6 15.7
Pneumonia Other diseases of the intestines Simple peritonitis. Aente nephritis Bright's disease. Cause of death not specified or ill-defined. Other titles. Total changes to "measles" Whooping cough. Simple meningitis. Bronchopneumonia Pneumonia Acute nephritis. Other titles. Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia	5 6 16 21 3 3 15 89 3 19 9 31 13 14	5.0 5.9 15.8 20.8 3.0 3.0 14.9 100.0 3.4 21.3 10.1 34.8 14.6 15.7
Other diseases of the intestines Simple peritonitis Aente nephritis Bright's disease. Cause of death not specified or ill-defined. Other titles Total changes to "measles" Whooping cough. Simple meningitis Bronchopneumonia Pneumonia Acute nephritis Other titles. Total changes to "scarlet fever" Simple meningitis Brouchopneumonia Pneumonia	6 16 21 3 3 15 89 3 19 9 31 13 14 98	5.9 15.8 20.8 3.0 3.0 14.9 100.0 3.4 21.3 10.1 34.8 14.6 15.7
Simple peritonitis Aeute nephritis Bright's disease. Cause of death not specified or ill-defined. Other titles. Total changes to "measles" Whooping cough. Simple meningitis Bronchopneumonia Pneumonia. Acute nephritis Other titles Total changes to "scarlet fever". Simple meningitis Brouchopneumonia	21 3 15 89 3 19 9 31 13 14 98	15.8 20.8 3.0 3.0 14.9 100.0 3.4 21.3 10.1 34.8 14.6 15.7
Bright's disease. Cause of death not specified or ill-defined. Other titles. Total changes to "measles" Whooping cough. Simple meningitis. Bronchopneumonia. Proeumonia. Acute nephritis. Other titles. Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia. Proeumonia.	3 3 15 89 3 19 9 31 13 14 98	3.0 3.0 14.9 100.0 3.4 21.3 10.1 34.8 14.6 15.7
Cause of death not specified or ill-defined. Other titles. Total changes to "measles". Whooping cough. Simple meningitis. Bronchopneumonia. Pneumonia Acute nephritis. Other titles. Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia.	3 15 89 3 19 9 31 13 14 98	3.0 14.9 100.0 3.4 21.3 10.1 34.8 14.6 15.7
Other titles Total changes to "measles". Whooping cough. Simple meningitis. Bronchopneumonia Proeumonia Acute nephritis. Other titles Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia Proeumonia	15 89 3 19 9 31 13 14 98 7	14.9 100.0 3.4 21.3 10.1 34.8 14.6 15.7
Total changes to "measles". Whooping cough. Simple meningitis Bronchopneumonia. Pneumonia. Acute nephritis Other titles Total changes to "scarlet fever". Simple meningitis Brouchopneumonia Pneumonia.	89 3 19 9 31 13 14 98 7	100.0 3.4 21.3 10.1 34.8 14.6 15.7
Whooping cough. Simple meningitis Bronchopneumonia. Pneumonia. Acute nephritis Other titles Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia. Pneumonia.	3 19 9 31 13 14 98	3.4 21.3 10.1 34.8 14.6 15.7
Simple meningitis Bronchopneumonia Pneumonia Acute nephritis Other titles Total changes to "scarlet fever" Simple meningitis Brouchopneumonia Pneumonia	19 9 31 13 14 98	21.3 10.1 34.8 14.6 15.7
Bronchopneumonia Pneumonia Acute nephritis Other titles Total changes to "scarlet fever". Simple meningitis Brouchopneumonia Pneumonia	9 31 13 14 98 7	10.1 34.8 14.6 15.7
Acute nephritis. Other titles Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia. Pneumonia.	13 14 98 7	14.6 15.7
Other titles. Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia. Pneumonia.	98 7	15.7
Total changes to "scarlet fever". Simple meningitis. Brouchopneumonia. Pneumonia.	98 7	I
Simple meningitis. Brouchopneumonia. Pneumonia.	7	100.0
Brouchopneumonia		
Pneumonia		7.1
Acute nephritis		3.1
		69.4
Bright's disease		5.1
Other titles	11	11.2
Total changes to "whooping cough"	45	100.0
Simple meningitis	12	26.7
		4.4
		13.3 31.1
Pulmonary congestion, pulmonary anonleys	14	4.4
Acute nenhritis	5	11.1
Other titles		8.9
Total changes to "diphtheria and croup"	35	100.0
Acute endocarditis	2	5.7
Organic diseases of the heart	2	5.7
		17.1
		5.7 11.4
		8.6
Diseases of the pharvnx	2	5.7
Acute nephritis	10	28.6
		11.4
Total changes to "influenza"	394	100.0
		10.2 57.9
Pneumonia		19.0
Other titles		12.9
Total changes to "tuberculosis of the lungs"	166	100.0
Simple meningitis	6	3.6
Organic diseases of the heart	6	3.6
Chronic bronchitis	6	3.6
Pneumonia.	70	42.2
Cause of death not specified or ill-defined	69	9.6
		100.0
Total enanges to "tuberculous meningitis"	904	78.0
		22.0
HO SOHHHEO EQUENHELE O SUPERIOR SONDO	Bright's disease. Total changes to "whooping cough". Simple meningitis. Couvulsions of infants. Bronchopneumonia. Pulmonary congestion, pulmonary apopiexy. Acute nephritis. Total changes to "diphtheria and croup". Acute endocarditis. Bronchopneumonia. Praganic diseases of the heart. Diseases of the larynx. Acute bronchitis. Bronchopneumonia. Pheumonia. Diseases of the pharynx. Acute nephritis. Total changes to "influenza". Simple meningitis. Total changes to "influenza". Simple meningitis. Cher titles. Total changes to "tuberculosis of the lungs". Simple meningitis. Chronic bronchitis. Dranic diseases of the heart. Chronic bronchitis. Pheumonia. Cause of death not specified or ill-defined. Other titles. Total changes to "tuberculous meningitis". Meningitis.	Strict S

TABLE III-Continued.

deeother than those speci- ma and aneurysmand other malignant liver"mors of other organs or female genital organs	Number. 1,031 148 59 34 491 96 65 104 130 75 7	100.0 14.4 5.7 3.3 3.3 47.6 9.3 6.3 10.1 100.0
other than those speci- ma and aneurysm. and other malignant liver' mors of other organs or female genital organs	148 59 34 34 491 96 65 104 130 75	14.4 5.7 3.3 3.3 47.6 9.3 6.3 10.1 100.0
other than those speci- ma and aneurysm. and other malignant liver' mors of other organs or female genital organs	59 34 34 491 96 65 104 130 75	5.7 3.3 3.3 47.6 9.3 6.3 10.1 100.0
other than those speci- ma and aneurysm	34 34 491 96 65 104 130 75	3.3 3.3 47.6 9.3 6.3 10.1 100.0
other than those speci- ma and aneurysm. and other malignant liver' mors of other organs or female genital organs	491 96 65 104 130 75 7	47.6 9.3 6.3 10.1 100.0 57.7
other than those speci- ma and aneurysm	96 65 104 130 75	9.3 6.3 10.1 100.0 57.7
ma and aneurysmand other malignant liver" mors of other organs or female genital organs	65 104 130 75 7	6.3 10.1 100.0 57.7
and other malignant lliver". mors of other organs or female genital organs	104 130 75 7	10.1 100.0 57.7
and other malignant lliver" mors of other organs or female genital organs	130 75 7 4	100.0 57.7
mors of other organs or female genital organs	75 7 4	57.7
mors of other organs or female genital organs	7 4	
female genital organs	7 4	
	4	1
		5.4
	7	3.1 5.4
	13	10.0
	24	18.5
other malignant tumors	190	100.0
mors of other organs or		
6 1	148	77.9
female genital organs	7	3.7
	7	3.7
	$\frac{7}{21}$	3.7
and other malignant		
	106	100.0
imors of other organs or	83	78.3
oreast (cancer excepted)	9	8.5
	14	13.2
n"	289 14	4.8
	213	73.7
r III-denned	10 52	3.5 18.0
inal favor"	401	100.0
inal fever"	363	90.5
	38	9.5
nemorrhage, apoplexy".	1,408 885	100.0
ise	46	62.9 3.3
 	166 137	11.8 9.7
ma, aneurysm	174	12.4
ma, aneurysm		100.0
iseases of the heart"	10	3.5 4.5
iseases of the heart"		1 3 5
iseases of the heart"	1.4	4.9 4.2 5.2 8.7 3.1
iseases of the heart"v		4.2
ma, aneurysmv. v. sse. ma, aneurysm.	1.4	8.7
ma, aneurysm. iseases of the heart". v ise ima, aneurysm. iary apoplexy.	15 25	1 3 1
ma, aneurysm. v v use. oma, aneurysm. nary apoplexy.	15 25 9	4 5
ma, aneurysm. v. use. oma, aneurysm. oma, aneurysm.	15 25 9 13	4.5 3.8
ma, aneurysm. v v use. oma, aneurysm. nary apoplexy.	15 25 9 13 11 39	4.5
rc	diseases of the heart" xy. ause	diseases of the heart" 287 xy 10 ause 13 aroma, aneurysm 14 12 12 onary apoplexy 15 25 25

^{*}See footnote on this title in Table II.

TABLE III-Continued.

Cause of Death Title		Additions.	
Receiving Additions.	Title before Inquiry.	Number.	Per Cent
	Total changes to "diseases of the arteries, atheroma,		
	aneurysm"	126	100.0
	Other diseases of the spinal cord	5 9	$\frac{4.0}{7.1}$
	Softening of the brain. Paralysis without specified cause.	9	7.1
	Organie diseases of the heart	6	4.8
S	Pneumonia	5	4.0
Diseases of the arteries, atheroma, aneurysm	Pulmonary congestion, pulmonary apoplexy	4	3.2
atheroma, aneurysm	Acute nephritis	10	7.9
	Gangrene	28 10	$\frac{22.2}{7.9}$
	Senility . Cause of death not specified or ill-defined	4	3.2
	Other titles	$3\hat{6}$	28.6
	Total changes to "bronehoppeumonia"	660	100.0
	Total changes to "bronchopneumonia"	32	4.8
ronchopneumonia	{ Pneumonia	586	88.8
топспорнешнопа	Other titles	42	6.4
	Total changes to "pneumonia". [Simple meningitis	329	100.0
	Simple meningitis	79	24.0
	Organic diseases of the heart	72 13	21.9 4.0
neumonia (lobar and	Pleurisy	10	3.0
undefined)	Cerebral hemorrhage, apoplexy	10	3.0
	Bright's disease	44	13.4
	Other titles	101	30.7
	Total changes to "appendicitis and typhlitis"	156	100.0
appendicitis and typh-	Intestinal obstruction	6	3.8
litis	Simple peritonitis (nonpuerperal)	105 45	$\frac{67.3}{28.8}$
11010	Other titles	235	100.0
	Total changes to "Bright's disease"	235	3.0
	Organic diseases of the heart.	19	8.1
	Diseases of the arteries, atheroma, aneurysm	13	5.5
	Pulmonary congestion, pulmonary apoplexy	_8	3.4
right's disease	Acute nephritis.	74	31.5
origina s discuse	Other diseases of the kidneys and annexa Senility.	12 7	$\frac{5.1}{3.0}$
	Fractures (eause not specified)	9	3.8
	Ill-defined organic disease		6.8
	Other titles	70	29.8
	Total changes to "puerperal state—total"	368	100.0
	Purulent infection and septicemia	54	14.7
	Convulsions (nonpuerperal)	32 15	8.7 4.1
	Pneumonia	87	23.6
uerperal state—total	Acute nephritis	58	15.8
•	Bright's disease	26	7.1
	Uterine hemorrhage (nonpuerperal)	4	1.1
	Other diseases of the uterus	40	10.9
	Other titles.	52	14.1
	Total changes to "puerperal septicemia"	189 50	100.0 26.5
1 12 112	Purulent infection and septicemia	77	40.7
Puerperal septicemia	Diseases of the uterus.	32	16.9
	Other titles	30	15.9
	Total changes to "puerperal albuminuria and convulsious"		
	vulsious"	125	100.0
	Convulsions (nonpuerperal)	34	25.6
Puerperal albuminuria	Acute nephritis	54 26	43.2 20.8
and convulsions			

TABLE III-Concluded.

Cause of Death Title		Additions.	
Receiving Additions.	Title before Inquiry.	Number.	Per Cent.
Suicide	Total changes to "suicide". Acute poisonings. Absorption of deleterious gases (conflagration excepted) Taumatism by firearms	24 10	100.0 52.2 21.7 13.0
	Fractures (cause not specified). Other titles. Total changes to "traumatism by falling".	2 4 945	4.3 8.7 100.0
Traumatism by falling	Simple meningitis Fractures (cause not specified) Other external violence Other titles	43 646 161 95	4.6 68.4 17.0 10.1
Homicide—total	Total changes to "homicide". Simple peritonitis (nonpuerperal) Traumatism by firearms. Fractures (cause not specified) Other external violence. Other titles.	7 87 15 16	100.0 4.7 58.8 10.1 10.8 15.5

Of the 101 cases added to typhoid fever, 28.7 per cent. were originally classified as "simple meningitis," 20.8 per cent. as "acute nephritis," and 15.8 per cent. as "simple peritonitis." There were 89 additions to "measles," 98 to "scarlet fever," 45 to "whooping cough," and 35 to "diphtheria and croup," making an addition of 267 deaths to these four diseases of childhood. "Acute nephritis" played an important part in the original assignment in all of these four diseases, but more especially in "scarlet fever," where 68 deaths, or 69.4 per cent. of the changes, were originally so classified. In like manner, "bronchopneumonia" and "pneumonia" (unspecified), were the original assignments in many of these conditions; this applies particularly to "measles" and "whooping cough." Except for "diphtheria," the indefinite title "simple meningitis" is a convenient cloak for the acute infections of childhood. "Influenza" and" tuberculosis of the lungs" both received significant additions from the title "pneumonia." the former receiving 228 additional deaths and the latter 70. Of the total changes to tuberculous meningitis, 294, or 78.0 per cent., were originally classified as meningitis.

An analysis of the sources of the additions to syphilis is interesting. Of the 1,031 changes to this title, 148 were from locomotor ataxia, 491 from general paralysis of the insane, and 104 from a large number of conditions, connected for the

most part with spinal lesions. Our inquiries with reference to "general paralysis of the insane" have definitely confirmed the virtually unanimous opinion of clinicians that this condition is syphilitic in origin. So uniform is our finding, that we are considering seriously the advisability of discontinuing our inquiries into this condition, and assuming the existence of syphilis in such cases.

As might be expected, the additions to "cancers of specified organs" are at the expense of the residual title, "cancers of organs not specified." The importance of this change is obvious in view of the increasing interest in the location of the malignant growths. The number of deaths from "acute and chronic alcoholism" was increased at the expense of "acute nephritis"; 213 out of 289 deaths, or 73.7 per cent., were so added. It will be unnecessary to go further into this analysis, since the various parts of the table speak for themselves.

The foregoing tables and text are sufficient to indicate the possibilities inherent in the intensive questioning of mortality returns. It does not lie within the power of the statistician to correct errors which depend upon the diagnostic ability of physicians, or upon circumstances which do not permit adequate opportunity for case observation or for accurate clinical or pathological findings. There is, however, a class of errors which he can undoubtedly reduce to a minimum. He can raise the standard of accuracy in mortality statistics by inviting the physician to give information such as he is able and willing to impart. It is reasonable to assume that the physician will, at first, have in mind not so much the statistical use of the information which he possesses as the immediate and uppermost clinical phase of the case. His efforts in the last stage of a losing battle against disease or injury are so often devoted to combating serious complications, that he is more than likely to certify only the immediate and not the primary cause The statistician can tactfully point out to him an error of omission. Experience has demonstrated that, in a large proportion of cases, physicians manifest sufficient interest in the precision of our vital statistics to supply the additional and qualifying statements. As inquiries are made, moreover, physicians become more and more aware of the requirements of statistical technique in making assignments. An analysis of our returns shows an increasing proportion of satisfactory statements for certain causes of death. A physician to whom an inquiry is once sent will usually not make the same indefinite statement in his subsequent certificates of death.

This means for advancing the accuracy of cause of death statistics is at hand in every registration and compiling office, and it is hoped that it will soon be adopted by vital statisticians generally. The fruitful character of the returns, affecting as they do the basic material of vital statistics, the simplicity of the method, and its low cost both in time and in money, indicate plainly the desirability at the present time of inquiries to physicians as an integral part of the classifica-Certainly the day has arrived when tion of causes of death. material cannot be admitted into the realm of good vital statistics unless it has previously been subjected to careful inquiry such as we have outlined above. That is the least which can be expected, in view of the uncertainty of much of the material. due in the first instance to errors of bedside diagnosis uncorrected by autopsy.



0 013 738 802 9

LIBRARY OF CONGRESS